

Web questionnaires with Webropol 2.0

With Webropol it is possible to create questionnaires to be published on the web that the respondents fill in themselves. You can also build in controls of mandatory questions, “jump to” questions, etc.

When you have created your web questionnaire and published it, you will obtain a link that you can distribute to potential respondents (through e-mail or a web page).

The answers are compiled in the form of statistical reports, and you can order the data stored in an Excel file.

The program is available on <http://www.webropolsurveys.com/>

As a Hanken student or staff you can obtain a personal user ID and password by sending an email from your Hanken e-mail address to webropol@hanken.fi including the following information:

- *Name,*
- *User ID at Hanken (add also “student” or “staff”)*
- *Phone number,*
- *E-mail address at Hanken (for students also other E-mail address used regularly)*

Your user ID and password will be sent to your E-mail address at Hanken.

You will become a user in a collective user environment for either “students” or “staff” depending on your role at Hanken. Your Webropol ID is valid as long as your Hanken ID is.

Instructions for creating a questionnaire using Webropol 2.0 can be found on the following pages. There you will find examples of how different types of questions are created within Webropol, as well as how the questionnaire is published, responses collected and results reported.

Contents in brief:

1. Log in to Webropol 2.0	2
2. Question types	2
3. Description of the example task	2
4. Create questions	2
4.1. Selection	3
4.1.1. Edit questions	3
4.2. Text field	3
4.3. Selection with drop-down list	4
4.4. Scale selection	4
4.5. Multiselections	5
4.6. Position	6
5. Survey settings (language, colour, logos, paging options etc.)	6
6. Language copies	8
6.1. Making language copies	8
6.2. Sending language copies	8
6.3. Combining language copies for reports and analyses	9
7. Collect responses	9
7.1. Via public link (distributed per e-mail or on a web page)	9
7.2. Via personal links (distributed per e-mail)	10
8. Reporting & follow-up	11
8.1. Graphs and tables	11
8.2. Export data file to Excel (and further to SPSS)	12
9. Finishing a survey	12
10. MyWebropol	13
11. Example questionnaire	14

1. Log in to Webropol 2.0

<http://www.webpolsurveys.com/>

Give your **user ID** and **password** (obtained from webropol@hanken.fi).

Instructions for creating a questionnaire using Webropol 2.0 can be found on the following pages. Manuals are also available in Webropol (under Support), with more detailed advice on creating a questionnaire, publishing and handling the survey.

2. Question types

In Webropol it is possible to choose between different question types. E.g.

- ◆ **Selection** – the respondent can choose only one alternative (option buttons or drop-down lists)
- ◆ **Multiselections**– the respondent can choose many alternatives (check boxes)
- ◆ **Scale selection** – assessing on an ordinal or quantitative scale
- ◆ **Text field** – open questions, e.g. name, address, age
- ◆ **Open ended**– open response (space for four A4 pages of text)
- ◆ **Position**– assessing on a scale between two statements

3. Description of the example task

A questionnaire for finding out wine preferences is used as an example for the different question types. The example questionnaire is found on the last page.

The questionnaire includes some background variables (gender and year of birth) and questions concerning the persons wine preferences

As an example for different question types, the following questions have been created.

1. *Gender* => Selection
2. *Year of birth* => Text field
3. *Wine preferences* => Selection in drop-down list
4. *Influences of food, situation, season* => Scale selection
5. *Produced* => Multiple Choice
6. *With food/as social drink* => Position

4. Create questions

A standard survey can easily be created by choosing suitable question types from the menu and filling in the question texts. The questions can also be edited (layout etc.).

From the heading **To survey folders** on the menu bar you can access your existing web surveys

- Click **Create new survey** on the menu bar.

Survey type: Basic survey,

Survey title: xxx (name your survey)

Then click **Continue**

- The tab **1 Create/edit survey** is opened for creating and editing your survey. There are also tabs for *2. Survey settings* (see section 5), *3. Collect responses* (see section 7), *Survey summary* and *Survey preview* on this page.

You can change the **Form title** to the heading you want to be shown on your form, save by clicking **Apply**. Click **Add question** and select a question type. The question types are explained in section 2 above.

In the following sections you will find descriptions of how different questions are created, and the settings and editing made in the questions in the *Wine form* (on last page).

4.1. Selection

Choose **Selection** for *Gender* (=only one alternative can be chosen).

- Question: **Gender**
- Answer options: **Male** on row one, **Female** on row two.
- Question Settings:
Mandatory question – choose **yes** when needed
Display Answer options – choose if you want the alternatives to be displayed **vertically** or **horizontally** (or in a *drop-down menu*, see section 4.3).

Click **Save & Preview**. To be able to preview you have to allow pop-ups from Webropol. Close the preview window and return to your form (if it is left open no new pop-up windows for previewing will be opened).

To choose background colour etc. for your form, see section 5.

4.1.1. Edit questions

If you want to **edit a question** choose the question from the list to the left.

- You can add answer alternatives if needed (**Add multiple answer options**).
- You can change font etc. with the **Editor**
- By clicking **Edit settings** beside an answer option you can create a “jump to” link from an option to a target question (must be done after all questions have been created) and you can add a textfield next to an option for an open answer.
- By clicking on **Question description** you can add a description to the question
- Under **More question settings** you can change your previous settings (open the tabs).

Click **Save & Preview**. Close the preview window!

If you defined a jump-to question you must insert a new page after this question and before the target question by choosing **Add new page**.

4.2. Text field

Choose **Text field** for *Year of birth* (=an open question without ready alternatives, a numeric answer can be required).

- Question: **Year of birth**
- Answer options: (**e.g. 1985**) – to specify the format.
- Question Settings:
Mandatory question – choose **yes** when needed
 Text field size – change if needed.

Click **Save & Preview**. Close the preview window!

2. Year of birth? 4

(e.g. 1985)

If you want to **edit the question** further choose the question from the list to the left. Edit alternatives are described in section **4.1.1. Edit questions**. In addition you can specify **Validation settings** for a text-field-question (decide the length of the answer field, require a numeric answer, make the question mandatory, etc). See below how e.g. the year is restricted.

The following restrictions were made to *Year of birth* in the example form:

➤ Click on **Edit settings** next to the answer alternative:

Numeric

Range

Min value=**1900**, Max value=**2010**.

Click **Save & Preview**. Close the preview window!

4.3. Selection with drop-down list

Selection question

Question:

Do you prefer white or red wine?

[Question description](#)

Answer options:

Enter option and press Enter to add next option

Select

White

Red

Neither

Choose **Selection** for *Wine preferences* (=only one alternative can be selected).

- Question: ***Do you prefer white or red wine?***
- Answer Options: Write ***Please select*** on row 1 (=the text shown in the box on the questionnaire, but not registered as an answer). Then write ***White, Red, Neither***, one per row.
- Question Settings:
Mandatory question – choose **yes** when needed
Display Answer options: Drop Down and exclude first option (choose from the list)

Click **Save & Preview**. Close the preview window!

3. Do you prefer white or red wine?

Please select

If you want to **edit the question** further choose the question from the list to the left. Edit alternatives are described in section **4.1.1. Edit questions**.

If you defined a jump-to question you must insert a new page after this question and before the target question by choosing **Add new page**.

4.4. Scale selection

Scale selection question

Question:

How is your choice between white and red wine influenced by the following factors:

[Question description](#)

Scale values (Columns):

Numeric Scale : -

Use Other Scale :

Scale rows:

Food

Situation/company

Season

Choose **Scale selection** for *Influencing factors* (=evaluations on scales).

- Question: ***How is your choice between white and red wine influenced by the following factors:***
- Click on Question description and write: ***Circle the number on the scale that best describes your situation. 1 = does not influence at all,..., 5 = influences a lot.***
Include question description **after** question.
- Scale values (Columns): *Numeric Scale: 1 - 5*

- Scale rows: **Food, Situation/company, Season**, write one alternative per row
- Question Settings: *Mandatory question* – choose **yes** when needed
Scale type: **Normal** (always choose *normal* when the respondent must choose one option per row)

Click **Save & Preview**.

Close the preview window!

4. How is your choice between white and red wine affected by the following factors:					
Circle the number on the scale that best describes your situation. 1=does not influence at all, ..., 5= influences a lot					
	1	2	3	4	5
Food	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Situation/company	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Season	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

You can use different colours for the alternatives to stand out clearer in the list (Style sheets are first created in **MyWebropol**, see section 10).

Choose the question from the list, click **Edit settings** at the statement (*Food, Situation/company* or *Season*) and **Select style sheet**. In the example question *Food* and *Season* are coloured white to differ from the yellow background.

If you want to **edit the question** further see the instructions in section **4.1.1. Edit questions**. Under **More question settings** the scale type can e.g. be changed to *Ranked scale* if you want to rank objects and therefore restrict the answers to only one option per row and column.)

Click **Save & Preview**. Close the preview window!

4.5. Multiselections

Multiselections question

Question:

Question description

Answer options:
Enter option and press Enter to add next option

- Europe
- Africa
- Australia
- South America
- North America
- Other please specify:

Choose **Multiselections** for *Produced* (=many alternatives can be chosen).

- Question: ***In which part/parts of the world are your favourite wines produced?***
- Answer options: ***Europe, Africa, Australia, South America, North America, Other please specify:*** (write the alternatives one per row)
- Question Settings:
Mandatory question – choose **yes** when needed
Display Answer options –displayed **vertically**

Click **Save & Preview**. Close the preview window

If you want to **edit the question** further choose the question from the list to the left. Edit alternatives are described in section **4.1.1. Edit questions**

➔ A textbox is created next to the last alternative by clicking **Edit Settings** beside “*Other, please specify:*” and choosing **Add text field after option for writing own answer**. Set *Text size* to e.g. **20**.

5. In which part/parts of the world are your favorite wines produced??

- Europe
- Africa
- Australia
- South America
- North America
- Other - please specify:

Click **Save & Preview**. Close the preview window

If you defined a jump-to question you must insert a new page after this question and before the target question by choosing **Add new page**.

4.6. Position

Choose **Position** for *With food or as social drink* (=assessing between two statements).

- **Question:** *Do you drink wine more often with food or as social drink?*
- Click on **Question description** and write:
Please mark a dot left or right on the scale depending on which description you find more appropriate.
The middle option = equally often
Include question description **after** question.
- **Numeric Scale: 1 – 7**
- **Left statements:** *Red wine more often with*

food, White wine more often with food, one alternative per row

- **Right statements:** *Red wine more often as social drink, White wine more often as social drink*, one alternative per row
- **Question Settings:** *Mandatory question* – choose **yes** when needed
Hide scale values – choose if you don't want the numeric scale to be shown

Click **Save & Preview**. Close the preview window!

You can use different colours for the alternatives to stand out clearer in the list. (Style sheets are first created in **MyWebropol**, see section 10).

Choose the question from the list, click **Edit settings** at each statement in turn (*Red / White*) and **Select style sheet**.

In the example question the rows are coloured red and light green to separate the wines.

If you want to **edit the question** further see the instructions in section **4.1.1. Edit questions**. Click **Save & Preview**. Close the preview window!

5. Survey settings (language, colour, logos, paging options etc.)

Click on the tab **2 Survey settings** on the menu bar. Here you can choose the questionnaire language, colour, font, pictures, logos, how questions are divided on pages, controls etc. Remember to click **Apply** after each change. Here is a brief overview of different settings available in the menus to the left.

Basic settings

- **Survey language** – sets the language that is used on labels and messages etc. (see chapter 6 for language copies).

- **Answer mode** – states if respondents can answer only once from their personal links or if they are able to later modify their answers.

Layout settings

- Choose **Text styles** and **Background fill** (colour) for your form. To activate a chosen text style for already created questions you have to open each question and then click **Save** (under Create/edit survey). If you have used Style sheets in your questions remember to change the text style in them also (in MyWebropol).
- If you want to choose a **Company logo** or **picture** tick **Use logo**, then Browse and Upload it. **NOTE!** The picture will be saved in a library of logos in Webropol which is shared by all users in your user environment. See in section 10 how you make your pictures private.
- You can also change the **Size and alignment** of the form.
- Alternatively you can **Choose a design template** created in MyWebropol. The library of design templates is shared by all in your user environment.

Function settings

- You can choose **Disable automatic numbering of questions** if you e.g. want to number your questions differently than the program does (e.g. 1a, 1b, i, ii, iii, ...). Then you can write the question number in the question itself.
- Here you can choose **All questions in one page, One question at a time** or **Paged form**. If you have more than one page in your form (if you e.g. have defined jump-to questions) you have to choose *Paged form*.
By choosing **Use dynamic paging** you can insert rules and actions to your questions (the form will perform in a certain way depending on how the respondent answers while completing the survey, e.g. some of the following questions or alternatives are not shown). This function is explained further in the Manual, which you can find under *Support*.
- **NB!** Always choose **Use CHECK SUBMIT option on the form**. If you don't choose this option the respondents can by mistake send half-ready answer sheets by hitting *Enter* after a question.
- If your form is lengthy with many pages you can choose **Use breaks**, which allows the respondent to pause and to complete at a later stage (this works only for respondents who have personal links to the survey, see section 7.2).
- If your form consists of many pages it is good to choose **Display progress bar** and e.g. **Show percentage**
- You can customize texts that appear on buttons and on different automatic notifications by choosing **Modify current labels**.
- You can also add/edit e.g. **Header text, Thank you page** and **Form End text**.

Notifications

- If you want to be notified by email every time an answer is submitted, specify under **Notification to survey creator on answer(s) received**. If you want the respondent to receive an email notification after submission, specify under **Notification to respondent after receiving response**.

Remember to click **Apply** after each change.

6. Language copies

You can create different language copies of your form.

6.1. Making language copies

Click **To survey folders** on the menu bar, click **Actions** ▾ to the right of your original form and choose **Copy**. Repeat until you have the desired amount of copies. Click **Actions** ▾ to the right of each copy and **Rename** them according to the languages they are translated into (e.g. “*Wine preferences – form in English*”, “*Vinpreferenser - formulär på svenska*”, ...). Create a survey group by ticking all your copies (including the original form) and choosing **Create group** down left. Name the new group and Save.

Open one copy at a time by clicking on it.

- Translate the **Form title** and click **Apply**.
- Click on every question in turn and **translate the texts** (remember also *Question descriptions*). Click **Save & Preview** after each change.
- Click **2 Survey settings** on the menu bar.
Change the **Survey language** for your copy.
Also remember to translate **Header text, Thank you page, Form End text**, and **labels** on buttons and notifications which you have changed in the original form.

Repeat for all the different language copies you have created.

NOTE! If you after this stage make any changes in one of your language copies (e.g. change the order of the questions, delete a question or an alternative) you have to make the same changes in all your copies to keep them comparable.

6.2. Sending language copies

In chapter 7 you will find instructions for collecting responses. Concerning language copies you also have to decide whether you want to send the correct language version to each respondent respectively (alternative A below) or if you let the respondent himself choose the language version (alternative B and C below).

A) You can send different language copies to different respondents using *Personal links* and/or *Public link* (see section 7.1 and 7.2).

B) Alternatively you can let your respondents choose the language from a start page to the form which you distribute via *Personal links* in a multilingual cover letter (see section 7.2, “Include in message: *Link to survey*”).

Name the different forms (language copies) carefully in each language so your respondents are able to choose between them. In the example survey the English copy could be named e.g. “*Wine preferences – form in English*” and the Swedish copy e.g. “*Vinpreferenser - formulär på svenska*”, ...)

C) You can also create a *public link* to every language copy and paste all links into a multilingual cover letter or a web page for your respondents to choose in which language they want to answer (see section 7.1).

6.3. Combining language copies for reports and analyses

The answers from different language copies can be merged in Excel into one file for reporting and analyzing (e.g. in SPSS). If you are using the reporting tools in Webropol your language copies will be reported separately. If necessary the answers can be re-entered in Webropol from a merged Excel file to enable all results to be reported in a combined report in Webropol. Please contact webropol@hanken.fi if you need help with this.

7. Collect responses

Click **3 Collect responses** on the menu bar. You can collect responses in two ways:

- **Public link** implies that a www-link is created. All respondents enter the survey through the same link. You can place the link e.g. on a website or forward it by e-mail (see section 7.1. below).
- **Personal link** implies that personal links are automatically created for each respondent in the e-mail invitations, and the respondent can only give one response through his/her link after which the link is deactivated (see section 7.2. below).

After you have chosen one of the above methods your survey is locked. In 'lock' mode you will still be able to make small corrections to questions and add anything that is missing, but you will not be able to e.g. delete questions.

In order to make larger changes you must first **Open survey for editing**.

NOTE! If responses have already come in, these will be erased if you unlock the form. Also e-mail addresses (see Chapter 7.2) will be erased.

7.1. Via public link (distributed per e-mail or on a web page)

Click **Use public link** (or Both methods).

Now, your questionnaire is public, which means that you will receive one link from which all your respondents will answer. All answers sent from this link are anonymous since they can't be identified through an email address or similar.

Choose **Public link and scheduling** to receive the link to your form (*Normal* or *Secured*). You can **copy** it to an e-mail, and distribute it using your usual mail program (also to existing mailing lists), or **copy** it to a webpage.

The link is active until you close it by clicking on **Close link**.

If you have different language copies of your form, you have to activate a public link to each one of them: Then you can e.g. paste all the links in the same multilingual cover letter and let the receiver choose the preferred language (see alternative C in section 6.2).

If you want to schedule a date for the survey to stop you can choose **Deactivate survey** and set the end date under **Edit settings**.

If you want to specify a starting date choose **Activate survey** and set the date under **Edit settings**. You also have to inactivate your public link by clicking **Close link** (otherwise the link is active at once regardless of the start date you have given).

7.2. Via personal links (distributed per e-mail)

Click **Use personal link** (or Both methods).

With this function you can send a personal link to every respondent whose e-mail address is entered here, and it can therefore not be used for e.g. mailing lists where one address has many recipients. The programme only allows one answer per link. In case of mailing lists, use public link (see Chapter 7.1).

Choose **Email addresses and list of respondents**. In this section you add the recipient for your survey (their email addresses).

- **Add manually** - allows you to write the addresses or copy/paste them from any sources. Write your respondents' e-mail addresses, one per row.
- **Import from file** – allows you to upload a text or Excel file with the respondents' email addresses (recommended).
- **Copy from Surveys** - lets you use the recipients of previous surveys.

Click **Add new recipients** and then **Continue**

- Fill in the Subject for your email.
- Write your e-mail invitation. You can indicate where in your letter to put the link to the questionnaire by inserting [#*codelink*] there (select from the dropdown menu). Otherwise the link will be inserted at the end of your letter
Don't use *codelink* if you are distributing a link which refers to survey group (e.g. language copies according to section 6.2.B)! A link to a group of copies will always be inserted at the end of your letter and is not effected by *codelink* (this command directs only the link to the selected survey).
 If you want to use the same invitation letter more than once you can click **Save as template** (if you e.g. want to test it first). Next time you can choose the template from the dropdown list.
- Choose recipients; send notification *To all*, *Only for those* (e.g. who have not yet participated) or *Select recipient from list*.
- Include in message *Link to survey*
 NB! If you want to distribute language copies as a survey group according to alternative B in section 6.2 choose *Link to group*. This link opens a cover letter including links to all the forms belonging to the survey group. Then by clicking on the appropriate language link the respondent is transferred to the actual survey in the selected language.
- Choose sender's e-mail. Preferably choose *Use your own address as Sender*. Your address is automatically available in the list, but if you for example send the survey in someone else's name, you must first upload the sender's email address in MyWebropol to be able to choose it here (see section 10)

Remember to **Preview** (your letter is now shown with the link inserted).

When you have created the e-mail, you can **Send survey**. Webropol will create a personal link to the form for every respondent, and automatically enclose it in their letters.

NB! Test the function first by sending the letter only to yourself: Add your name to the e-mail list, write your invitation letter (and *Save as template*). Choose To be sent to: “*Select recipient from list*” and choose only your mail address, and *Send survey*. If you also want to fill in the form, remember to remove your test answer from the data file later (see Chapter 8).

8. Reporting & follow-up

With Webropol’s reporting tools the results can be presented with graphs, tables, averages & percentages. This can also be made during the data collection process as a follow-up (e.g. number of answers, list of respondents). The reports can be exported to PDF and PowerPoint and the data can be exported to Excel (and further to SPSS).

8.1. Graphs and tables

Click **To survey folders** on the menu bar and click **Actions** ▾ to the right of your form. Choose **To report** => a report window is opened.

Data from different language copies will be reported separately. If necessary the answers can be re-entered in Webropol from a merged Excel file to enable all results to be reported in a combined report in Webropol. Please contact webropol@hanken.fi if you need help with this.

View report: Answers are presented with graphs and tables.

If you want to edit/change the graphs you have to create a report first (see below).

The report can be exported to e.g. PDF, WORD and PowerPoint => **Save**

Create report: Choose *Tailored* and give a *Report Name*. You can select which variables to be presented in your report - if you don’t want to present the total set. **Save**

By clicking on *Settings* at each graph respectively you can make requested changes. You can change *Layout*, chart type (*Properties*), delete and/or weight options (*Settings for answer options*), and write comments (*Common*). Save after each change!

You can also return to an earlier created report of the same survey and make new changes => *Select report to view* when you are in *View report* mode and make your changes. Save after each change.

Respondents: Here you can see who has responded if your data is collected via personal links, and when the answer was sent. Here you can also remove an answer (e.g. if you have given an answer as a test).

Publish report: You can publish your report and receive an internet link which can be distributed to different partners => click on *Publish report* (when you are in *View report* mode). Name the report and click .

You will now receive a link to the report which you can copy and distribute.

When new answers are submitted to your survey your published report will automatically be updated with them. Also changes made to the tailored report will update your published report (*Select report to view* when you are in *View report* mode and change *Settings*).

To access links to earlier published reports click *Publish report* and choose *Show published reports*. Choose the report from the dropdown list and copy the link.

8.2. Export data file to Excel (and further to SPSS)

If you want to analyze the data with e.g. SPSS you have to save it in Excel first in a format described below.

When you are in *View report* mode choose *Export to: Excel data* in the dropdown menu top right. Under *Settings* choose **Data format**, and remove the tick from *Show empty values as zeros*. Then click

The Data format has the following characteristics:

- 1) the first row contains your questions as “variable names”,
- 2) unanswered questions are left empty in the file,
- 3) multiple choice options are coded as separate dummy variables (1=yes, 0=no),
- 4) scale or position questions will automatically be coded 1, 2, 3, 4, ... in the data file regardless if other values have been used in the questionnaire (e.g. -2, -1, 0, 1, 2). This can be changed if you first create a report and change weights in *Settings for answer options* (see section 8.1), or by recoding it in Excel

➔ It is recommended to rewrite the question names into shorter variable names which work in SPSS. It is also recommended not to export text variables to SPSS (delete them so your working file consists of only numeric variables).

After you have “cleaned up” your Excel file, save it and reopen it in SPSS (*Read variable names from the first row of data*).

Data from different language copies are stored in different reports => export each copy separately to Excel. You can merge the different files either in Excel or in SPSS.

9. Finishing a survey

When you want to stop a survey so that no new answers can come in, you must click on the menu bar and click **Actions** ▾ to the right of your form. Choose **Summary** => a summary page is opened. Under **State: Paus** click “**Yes**”. The text “Resume | **Yes**” is shown and the survey is filed. If you want to reactivate your survey click “**Yes**” for Resume.

If you want to delete the entire survey from Webropol, you must click **To survey folders** on the menu bar and click **Actions** ▾ to the right of your form. Choose **Delete**. Everything will now be deleted (the form, the data, and the reports).

10. MyWebropol

MyWebropol is a place for you to store any elements you want to use in your surveys. This can include Images, Logos, Form Templates, Email Templates and Login Pages. Create and edit your own library of resources, which also can be shared with other users at Hanken. Under MyWebropol you can edit your user profile and access user manuals in different languages (they can also be accessed from Support)

- Under **Style sheets** you can **Create a new style sheet**. In the example form (Wine preferences) the scale options in question 4 and 6 have been made easier to follow by using different background colors. The background colors have been named, chosen and saved here (choose the same color for all boxes in the *Background* column). You can also change the text style to correspond to the rest in the form. More information is available in the Manual.
- Under **Imported files** you can upload logos/pictures. **Your pictures are saved in a collective library for imported files which all in your user environment have access to. Logos which are uploaded under survey settings are also automatically public.** You can make your pictures private by removing the crux by Public and then Save => the Picture owner will change to *Your* own. Now only you can see it, use it and delete it.
- In your **User profiles** you can e.g. change your password. You can also upload sender addresses when you need to send a survey in someone else's name. Fill in the email address under **Sender's email** (under your Contact info) => the person receives a request to accept this whereupon the email address will be included in your sender list (see section 7.2)

11. Example questionnaire

Wine preferences



1. Gender

- Male
- Female

2. Year of birth?

(e.g. 1985)

3. Do you prefer white or red wine?

4. How is your choice between white and red wine affected by the following factors:

Circle the number on the scale that best describes your situation. 1=does not influence at all, ..., 5= influences a lot

	1	2	3	4	5
Food	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Situation/company	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Season	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

5. In which part/parts of the world are your favorite wines produced??

- Europe
- Africa
- Australia
- South America
- North America
- Other - please specify:

6. Do you drink wine more often with food or as social drink?

The middle option (4)= equally often

	1	2	3	4	5	6	7	
Red wine more often with food	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Red wine more often as social drink
White wine more often with food	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	White wine more often as social drink

I want to submit my answers